

Daftar Pustaka

- [1] W. Zhang, F. Liu, L. Luo, and J. Zhang, “Predicting drug side effects by multi-label learning and ensemble learning,” *BMC Bioinformatics*, vol. 16, no. 1, p. 365, Dec. 2015, doi: 10.1186/s12859-015-0774-y.
- [2] “Food and Drug Administration, ‘U.S. Food and Drug Administration.’” [Online]. Available: <http://www.fda.gov>.
- [3] P. Das and D. H. Mazumder, “An extensive survey on the use of supervised machine learning techniques in the past two decades for prediction of drug side effects,” *Artif. Intell. Rev.*, vol. 56, no. 9, pp. 9809–9836, Sep. 2023, doi: 10.1007/s10462-023-10413-7.
- [4] “Centers for Disease Control and Prevention, ‘Adverse Drug Events in Adult Outpatients and Patients in Hospitals.,’ 2019.” [Online]. Available: https://www.cdc.gov/medicationsafety/adult_adversedrgevents.html.
- [5] S. Katragadda, H. Karnati, M. Pusala, V. Raghavan, and R. Benton, “Detecting adverse drug effects using link classification on twitter data,” in *2015 IEEE International Conference on Bioinformatics and Biomedicine (BIBM)*, Washington, DC, USA: IEEE, Nov. 2015, pp. 675–679. doi: 10.1109/BIBM.2015.7359767.
- [6] P. Bongini, E. Messori, N. Pancino, and M. Bianchini, “A Deep Learning Approach to the Prediction of Drug Side-Effects on Molecular Graphs,” Nov. 30, 2022, *arXiv*: arXiv:2211.16871. Accessed: Oct. 14, 2023. [Online]. Available: <http://arxiv.org/abs/2211.16871>
- [7] A. Poleksic and L. Xie, “Database of adverse events associated with drugs and drug combinations,” *Sci. Rep.*, vol. 9, no. 1, p. 20025, Dec. 2019, doi: 10.1038/s41598-019-56525-5.
- [8] X. Liang, Y. Fu, L. Qu, P. Zhang, and Y. Chen, “Prediction of drug side effects with transductive matrix co-completion”.
- [9] M. A. Arshed, S. Mumtaz, O. Riaz, W. Sharif, and S. Abdullah, “A Deep Learning Framework for Multi Drug Side Effects Prediction with Drug Chemical Substructure,” *Int. J. Innov. Sci. Technol.*, vol. 4, no. 1, pp. 19–31, Jan. 2022, doi: 10.33411/IJIST/2022040102.
- [10] G. M. Dimitri and P. Lió, “DrugClust: A machine learning approach for drugs side effects prediction,” *Comput. Biol. Chem.*, vol. 68, pp. 204–210, Jun. 2017, doi: 10.1016/j.compbiochem.2017.03.008.
- [11] R. R. Rizwandy, A. Aditsania, and I. Kurniawan, “Cuckoo Search-Driven Optimization of Artificial Neural Networks for Accurate Fingerprint-Based Toxicity Prediction,” in *2023 International Conference on Artificial Intelligence, Blockchain, Cloud Computing, and Data Analytics (ICoABCD)*, Denpasar, Indonesia: IEEE, Nov. 2023, pp. 112–117. doi: 10.1109/ICoABCD59879.2023.10390946.
- [12] X.-S. Yang and Suash Deb, “Cuckoo Search via Lévy flights,” in *2009 World Congress on Nature & Biologically Inspired Computing (NaBIC)*, Coimbatore, India: IEEE, 2009, pp. 210–214. doi: 10.1109/NABC.2009.5393690.
- [13] A. S. Joshi, O. Kulkarni, G. M. Kakandikar, and V. M. Nandedkar, “Cuckoo Search Optimization- A Review,” *Mater. Today Proc.*, vol. 4, no. 8, pp. 7262–7269, 2017, doi: 10.1016/j.matpr.2017.07.055.
- [14] X.-S. Yang and S. Deb, “Cuckoo search: recent advances and applications,” *Neural Comput. Appl.*, vol. 24, no. 1, pp. 169–174, Jan. 2014, doi: 10.1007/s00521-013-1367-1.
- [15] K. Wang, X. Liu, J. Zhao, H. Gao, and Z. Zhang, “Application Research of Ensemble Learning Frameworks,” in *2020 Chinese Automation Congress (CAC)*, Shanghai, China: IEEE, Nov. 2020, pp. 5767–5772. doi: 10.1109/CAC51589.2020.9326882.
- [16] Y. Qi, “Random Forest for Bioinformatics,” in *Ensemble Machine Learning*, C. Zhang and Y. Ma, Eds., New York, NY: Springer New York, 2012, pp. 307–323. doi: 10.1007/978-1-4419-9326-7_11.
- [17] Y. L. Pavlov, *Random Forests*, Reprint 2018. Berlin: De Gruyter, 2019.
- [18] Y. Saeys, I. Inza, and P. Larrañaga, “A review of feature selection techniques in bioinformatics,” *Bioinformatics*, vol. 23, no. 19, pp. 2507–2517, Oct. 2007, doi: 10.1093/bioinformatics/btm344.
- [19] I. Kurniawan, M. M. Anggraini, A. Aditsania, and E. B. Setiawan, “Implementation of Ensemble Methods on Classification of CDK2 Inhibitor as Anti-Cancer Agent,” *IJCCS Indones. J. Comput. Cybern. Syst.*, vol. 17, no. 1, p. 11, Feb. 2023, doi: 10.22146/ijccs.78537.
- [20] I. Kurniawan, M. M. Anggraini, A. Aditsania, and E. B. Setiawan, “Implementation of Ensemble Methods on Classification of CDK2 Inhibitor as Anti-Cancer Agent,” *IJCCS Indones. J. Comput. Cybern. Syst.*, vol. 17, no. 1, p. 11, Feb. 2023, doi: 10.22146/ijccs.78537.
- [21] O. Sagi and L. Rokach, “Ensemble learning: A survey,” *WIREs Data Min. Knowl. Discov.*, vol. 8, no. 4,

p. e1249, Jul. 2018, doi: 10.1002/widm.1249.

[22] R. P. Sheridan, W. M. Wang, A. Liaw, J. Ma, and E. M. Gifford, “Extreme Gradient Boosting as a Method for Quantitative Structure–Activity Relationships,” *J. Chem. Inf. Model.*, vol. 56, no. 12, pp. 2353–2360, Dec. 2016, doi: 10.1021/acs.jcim.6b00591.

[23] T. Chen, “xgboost: Extreme Gradient Boosting.” [Online]. Available: <https://cran.r-project.org/package=xgboost>

[24] M. Kuhn, I. Letunic, L. J. Jensen, and P. Bork, “The SIDER database of drugs and side effects,” *Nucleic Acids Res.*, vol. 44, no. D1, pp. D1075–D1079, Jan. 2016, doi: 10.1093/nar/gkv1075.