
BIBLIOGRAPHY

- [1] S. H. Siddappa. An effective method for forecasting electrical load data using temporal convolution attention-based long short-term memory. *International Journal of Intelligent Engineering and Systems*, 17:390–398, 2024. doi: 10.22266/ijies2024.0831.30.
- [2] J. P. Carvallo, P. H. Larsen, A. H. Sanstad, and C. A. Goldman. Long term load forecasting accuracy in electric utility integrated resource planning. *Energy Policy*, 119:410–422, 2018. doi: 10.1016/j.enpol.2018.04.060.
- [3] D. Wu, A. Amini, A. Razban, and J. Chen. Arc algorithm: a novel approach to forecast and manage daily electrical maximum demand. *Energy*, 154:383–389, 2018. doi: 10.1016/j.energy.2018.04.117.
- [4] S. Jurado, À. Nebot, F. Mugica, and N. Avellana. Hybrid methodologies for electricity load forecasting: entropy-based feature selection with machine learning and soft computing techniques. *Energy*, 86:276–291, 2015. doi: 10.1016/j.energy.2015.04.039.
- [5] C. Voyant, G. Notton, S. A. Kalogirou, M. L. Nivet, C. Paoli, F. Motte, and A. Fouilloy. Machine learning methods for solar radiation forecasting: a review. *Renewable Energy*, 105:569–582, 2017. doi: 10.1016/j.renene.2016.12.095.
- [6] Guo Feng Fan, Jin Wei Li, Li Ling Peng, Hsin Pou Huang, and Wei Chiang Hong. The bi-long short-term memory based on multiscale and mesoscale feature extraction for electric load forecasting. *Applied Soft Computing*, 162, 9 2024. ISSN 15684946. doi: 10.1016/j.asoc.2024.111853.
- [7] L. B. Rasmussen, P. Bacher, H. Madsen, H. A. Nielsen, C. Heerup, and T. Green. Load forecasting of supermarket refrigeration. *Applied Energy*, 163:32–40, 2016. doi: 10.1016/j.apenergy.2015.10.046.
- [8] J. Lee and Y. Cho. National-scale electricity peak load forecasting: traditional, machine learning, or hybrid model? *Energy*, 239:122366, 2022. doi: 10.1016/j.energy.2021.122366.
- [9] L. Huang, Q. Liao, R. Qiu, and Y. Long. Prediction-based analysis on power consumption gap under long-term emergency: a case in china under covid-19. *Applied Energy*, 283:116339, 2021. doi: 10.1016/j.apenergy.2020.116339.
- [10] A. O. Aseeri. Effective rnn-based forecasting methodology design for improving short-term power load forecasts: application to large-scale power-grid time series. *Journal of Computational Science*, 68:101984, 2023. doi: 10.1016/j.jocs.2023.101984.

-
- [11] Z. Wang, T. Hong, and M. A. Piette. Building thermal load prediction through shallow machine learning and deep learning. *Applied Energy*, 263:114683, 2020. doi: 10.1016/j.apenergy.2020.114683.
- [12] Sepp Hochreiter and Jürgen Schmidhuber. Long short-term memory. *Neural Computation*, 9(8):1735–1780, 1997. doi: 10.1162/neco.1997.9.8.1735.
- [13] N. Bakhshwain and A. Sagheer. Online tuning of hyperparameters in deep lstm for time series applications. *International Journal of Intelligent Engineering and Systems*, 14:212–220, 2021. doi: 10.22266/ijies2021.0228.21.
- [14] A. Graves, S. Fernández, and J. Schmidhuber. Bidirectional lstm networks for improved phoneme classification and recognition. *Lecture Notes in Computer Science*, pages 799–804, 2005. doi: 10.1007/11550907_126.
- [15] M. Schuster and K.K. Paliwal. Bidirectional recurrent neural networks. *IEEE Transactions on Signal Processing*, 45(11):2673–2681, 1997. doi: 10.1109/78.650093.
- [16] Huamei Ying, Changhong Deng, Zhenghua Xu, Haoxuan Huang, Weisi Deng, and Qiuling Yang. Short-term prediction of wind power based on phase space reconstruction and bilstm. *Energy Reports*, 9:474–482, 2023. ISSN 2352-4847. doi: <https://doi.org/10.1016/j.egy.2023.04.288>. URL <https://www.sciencedirect.com/science/article/pii/S2352484723006546>. 2022 The 3rd International Conference on Power Engineering.
- [17] Z. Wang, T. Hong, and M. A. Piette. Data fusion in predicting internal heat gains for office buildings through a deep learning approach. *Applied Energy*, 240:386–398, 2019. doi: 10.1016/j.apenergy.2019.02.066.
- [18] X. Gao, W. Guo, C. Mei, J. Sha, Y. Guo, and H. Sun. Short-term wind power forecasting based on ssa-vmd-lstm. *Energy Reports*, 9:335–344, 2023. doi: 10.1016/j.egy.2023.05.181.
- [19] Y. Huang, N. Hasan, C. Deng, and Y. Bao. Multivariate empirical mode decomposition based hybrid model for day-ahead peak load forecasting. *Energy*, 239:122245, 2022. doi: 10.1016/j.energy.2021.122245.
- [20] L. Song, L. Goel, and P. Wang. An ensemble approach for short-term load forecasting by extreme learning machine. *Applied Energy*, 170:22–29, 2016. doi: 10.1016/j.apenergy.2016.02.114.
- [21] E. Spiliotis, F. Petropoulos, N. Kourentzes, and V. Assimakopoulos. Cross-temporal aggregation: improving the forecast accuracy of hierarchical electricity consumption. *Applied Energy*, 261:114339, 2020. doi: 10.1016/j.apenergy.2019.114339.

- [22] D. K. Barrow, N. Kourentzes, R. Sandberg, and J. Niklewski. Automatic robust estimation for exponential smoothing: perspectives from statistics and machine learning. *Expert Systems With Applications*, 160:113637, 2020. doi: 10.1016/j.eswa.2020.113637.
- [23] Manohar Manur, Alok Kumar Pani, and Pankaj Kumar. A prediction technique for heart disease based on long short term memory recurrent neural network. *International Journal of Intelligent Engineering and Systems*, 13:31–39, 2020. ISSN 21853118. doi: 10.22266/ijies2020.0430.04.
- [24] N. M. Rad, S. M. Kia, C. Zarbo, T. v. Laarhoven, G. Jurman, P. Venuti, E. Marchiori, and C. Furlanello. Deep learning for automatic stereotypical motor movement detection using wearable sensors in autism spectrum disorders. *Signal Processing*, 144:180–191, 2018. doi: 10.1016/j.sigpro.2017.10.011.
- [25] J. Wang, W. Xu, X. Fu, G. Xu, and Y. Wu. Astral: adversarial trained lstm-cnn for named entity recognition. *Knowledge-Based Systems*, 197:105842, 2020. doi: 10.1016/j.knosys.2020.105842.
- [26] Norden E. Huang, Zheng Shen, Steven R. Long, Manli C. Wu, Hsing H. Snin, Quanan Zheng, Nai Chyuan Yen, Chi Chao Tung, and Henry H. Liu. The empirical mode decomposition and the hubert spectrum for nonlinear and non-stationary time series analysis. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 454:903–995, 1998. ISSN 13645021. doi: 10.1098/rspa.1998.0193.
- [27] R. Chen, H. Jia, X. Xie, and W. Gao. Learning a collaborative multiscale dictionary based on robust empirical mode decomposition. *Neurocomputing*, 287:196–207, 2018. doi: 10.1016/j.neucom.2018.02.022.
- [28] V. Q. H. Nguyen, D. Nguyen, and N. Nguyen. Feature selection based on eemd-las and optimized bso-lssvm classifier model in bearing fault diagnosis. *International Journal of Intelligent Engineering and Systems*, 14:247–258, 2021. doi: 10.22266/ijies2021.1031.23.
- [29] Z. Wu and N. Huang. Ensemble empirical mode decomposition: a noise-assisted data analysis method. *Advances in Adaptive Data Analysis*, 01:1–41, 2009. doi: 10.1142/s1793536909000047.
- [30] A. Bouchikhi and A. Boudraa. Multicomponent am–fm signals analysis based on emd–b-splines esa. *Signal Processing*, 92:2214–2228, 2012. doi: 10.1016/j.sigpro.2012.02.014.
- [31] M. E. Lebotsa, C. Sigauke, A. Bere, R. Fildes, and J. E. Boylan. Short term electricity demand forecasting using partially linear additive quantile regression with an application to the unit commitment problem. *Applied Energy*, 222:104–118, 2018. doi: 10.1016/j.apenergy.2018.03.155.

-
- [32] M. Lozano, J. Fiz, and R. Jané. Performance evaluation of the hilbert–huang transform for respiratory sound analysis and its application to continuous adventitious sound characterization. *Signal Processing*, 120:99–116, 2016. doi: 10.1016/j.sigpro.2015.09.005.
- [33] Z. Liu, L. Zhang, and J. Carrasco. Vibration analysis for large-scale wind turbine blade bearing fault detection with an empirical wavelet thresholding method. *Renewable Energy*, 146:99–110, 2020. doi: 10.1016/j.renene.2019.06.094.
- [34] J. Wang, T. Niu, H. Lu, Z. Guo, W. Yang, and P. Du. An analysis-forecast system for uncertainty modeling of wind speed: a case study of large-scale wind farms. *Applied Energy*, 211:492–512, 2018. doi: 10.1016/j.apenergy.2017.11.071.
- [35] Said Gaci. A new ensemble empirical mode decomposition (eemd) denoising method for seismic signals. *Energy Procedia*, 97:84–91, 2016. ISSN 18766102. doi: 10.1016/j.egypro.2016.10.026.
- [36] Arthur Getis and J. K. Ord. The analysis of spatial association by use of distance statistics. *Geographical Analysis*, 24:189–206, 1992. ISSN 15384632. doi: 10.1111/j.1538-4632.1992.tb00261.x.
- [37] Y. Wang, G. Zhang, and J. Qian. Approxcca: an approximate correlation analysis algorithm for multidimensional data streams. *Knowledge-Based Systems*, 24:952–962, 2011. doi: 10.1016/j.knosys.2011.04.003.
- [38] T. G. Barbounis and J. B. Theocharis. Locally recurrent neural networks for wind speed prediction using spatial correlation. *Information Sciences*, 177:5775–5797, 2007. doi: 10.1016/j.ins.2007.05.024.
- [39] Q. Hu, R. Zhang, and Y. Zhou. Transfer learning for short-term wind speed prediction with deep neural networks. *Renewable Energy*, 85:83–95, 2016. doi: 10.1016/j.renene.2015.06.034.
- [40] G. P. Herrera, M. Constantino, B. M. Tabak, H. Pistori, J. Su, and A. Naranpanawa. Long-term forecast of energy commodities price using machine learning. *Energy*, 179:214–221, 2019. doi: 10.1016/j.energy.2019.04.077.
- [41] J. E. Taylor. Urban energy flux: spatiotemporal fluctuations of building energy consumption and human mobility-driven prediction. *Applied Energy*, 195:810–818, 2017. doi: 10.1016/j.apenergy.2017.03.044.
- [42] C. Croonenbroeck and G. Stadtmann. Minimizing asymmetric loss in medium-term wind power forecasting. *Renewable Energy*, 81:197–208, 2015. doi: 10.1016/j.renene.2015.03.049.

-
- [43] A. Spoladore, D. Borelli, F. Devia, F. J. Mora, and C. Schenone. Model for forecasting residential heat demand based on natural gas consumption and energy performance indicators. *Applied Energy*, 182:488–499, 2016. doi: 10.1016/j.apenergy.2016.08.122.
- [44] J. Fellus, D. Picard, and P. Gosselin. Asynchronous gossip principal components analysis. *Neurocomputing*, 169:262–271, 2015. doi: 10.1016/j.neucom.2014.11.076.
- [45] N. Xie, S. Xu, and Y. Xu. A new coding-based algorithm for finding closest pair of vectors. *Theoretical Computer Science*, 782:129–144, 2019. doi: 10.1016/j.tcs.2019.03.011.
- [46] T. Stanisz, J. Kwapień, and S. Drózdź. Linguistic data mining with complex networks: a stylometric-oriented approach. *Information Sciences*, 482:301–320, 2019. doi: 10.1016/j.ins.2019.01.040.
- [47] S. Aisyah, A. A. Simaremare, D. Adytia, I. A. Aditya, and A. Alamsyah. Exploratory weather data analysis for electricity load forecasting using svm and grnn, case study in bali, indonesia. *Energies*, 15, 5 2022. ISSN 19961073. doi: 10.3390/en15103566.
- [48] Guomin Li, Zhiya Pan, Zihan Qi, Hui Wang, Tao Wang, Yunpeng Zhao, Yagang Zhang, Gengyin Li, and Pengfei Wang. Hybrid forecasting system considering the influence of seasonal factors under energy sustainable development goals. *Measurement: Journal of the International Measurement Confederation*, 211, 4 2023. ISSN 02632241. doi: 10.1016/j.measurement.2023.112607.