

DAFTAR PUSTAKA

- [1] Annur, C.M. (2023) Ada 27 Juta Pengguna Twitter di Indonesia, Terbanyak ke-4 Global. Available at: <https://databoks.katadata.co.id/datapublish/2023/11/28/ada-27-juta-pengguna-twitter-di-indonesia-terbanyak-ke-4-global> (Accessed: 27 March 2024).
- [2] M. A. Rahman, A. Al Faisal, T. Khanam, M. Amjad, and M. S. Siddik, “Personality Detection from Text using Convolutional Neural Network,” in *1st International Conference on Advances in Science, Engineering and Robotics Technology 2019, ICASERT 2019*, Institute of Electrical and Electronics Engineers Inc., May 2019. doi: 10.1109/ICASERT.2019.8934548.
- [3] G. D. Salsabila and E. B. Setiawan, “Semantic Approach for Big Five Personality Prediction on Twitter,” *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 5, no. 4, pp. 680–687, Aug. 2021, doi: 10.29207/resti.v5i4.3197.
- [4] Y. Liu *et al.*, “RoBERTa: A Robustly Optimized BERT Pretraining Approach,” Jul. 2019, [Online]. Available: <http://arxiv.org/abs/1907.11692>.
- [5] M. M. Zain, R. N. Simbolon, H. Sulung, and D. Z. Anwar, “Jurnal Politeknik Caltex Riau Analisis Sentimen Pendapat Masyarakat Mengenai Vaksin Covid-19 Pada Media Sosial Twitter dengan Robustly Optimized BERT Pretraining Approach,” 2021. [Online]. Available: <https://jurnal.pcr.ac.id/index.php/jkt/>.
- [6] E. F. Tsani and D. Suhartono, “Personality Identification from Social Media Using Ensemble BERT and RoBERTa,” *Informatica (Slovenia)*, vol. 47, no. 4, pp. 537–544, Dec. 2023, doi: 10.31449/inf.v47i4.4771.
- [7] Muh. A. A. Yani and W. Maharani, “Analyzing Cyberbullying Negative Content on Twitter Social Media with the RoBERTa Method,” *JINAV: Journal of Information and Visualization*, vol. 4, no. 1, pp. 61–69, Feb. 2023, doi: 10.35877/454ri.jinav1543.
- [8] D. Tiyasya Putra and E. Budi Setiawan, “Sentiment Analysis on Social Media with Glove Using Combination CNN and RoBERTa,” vol. 10, no. 3, pp. 457–563, 2023, doi: 10.29207/resti.v7iX3.4892.

- [9] A. Murarka, B. Radhakrishnan, and S. Ravichandran, “Detection and Classification of mental illnesses on social media using RoBERTa,” Nov. 2020, [Online]. Available: <http://arxiv.org/abs/2011.11226>.
- [10] V. R, “Comparative Analysis for Personality Prediction by Digital Footprints in Social Media,” Journal of Information Technology and Digital World, vol. 3, no. 2, pp. 77–91, May 2021, doi: 10.36548/jitdw.2021.2.002.
- [11] C. Yuan, J. Wu, H. Li, and L. Wang, “Personality Recognition Based on User Generated Content,” in 2018 15th International Conference on Service Systems and Service Management (ICSSSM), 2018, pp. 1–6. doi: 10.1109/ICSSSM.2018.8465006.
- [12] J. Xue, A. Li, X. Liu, and L. Cai, “Identifying Big Five personality traits based on facial behavior analysis.”.
- [13] A. Yilmaz, A. A. Demircali, S. Kocaman, and H. Uvet, “Comparison of Deep Learning and Traditional Machine Learning Techniques for Classification of Pap Smear Images,” Sep. 2020, [Online]. Available: <http://arxiv.org/abs/2009.06366>.
- [14] J. Wei and K. Zou, “EDA: Easy Data Augmentation Techniques for Boosting Performance on Text Classification Tasks,” Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP), 2019, doi: <https://doi.org/10.18653/v1/d19-1670>.
- [15] P. Kumar, R. Bhatnagar, K. Gaur, and A. Bhatnagar, “Classification of Imbalanced Data: Review of Methods and Applications,” IOP Conference Series: Materials Science and Engineering, vol. 1099, no. 1, p. 012077, Mar. 2021, doi: <https://doi.org/10.1088/1757-899x/1099/1/012077>
- [16] N. Febrianto, I. Prasetia, and A. Wijaya, “Pembuatan Sistem Prediksi Kepribadian ‘The Big Five Traits’ dari Media Sosial Twitter.” [Online]. Available: http://semiocast.com/en/publications/2012_07_30_Twitter_reaches_half_a_billion.

- [17] M. R. Maarif, “Content Analysis on Twitter Users Interaction within First 100 Days of Jakarta’s New Government by Using Text Mining,” *Journal Pekommas*, vol. 3, no. 2, p. 137, Oct. 2018, doi: 10.30818/jpkm.2018.2030203.
- [18] M. A. Djamarudin, A. Triayudi, and E. Mardiani, “Analisis Sentimen Tweet KRI Nanggala 402 di Twitter menggunakan Metode Naïve Bayes Classifier,” *Jurnal Teknologi Informasi dan Komunikasi*, vol. 6, no. 2, p. 2022, 2022, doi: 10.35870/jti.
- [19] F. Nur, Hasan Dwi Cahyono, Sari Widya Sihwi, and Wisnu Widiarto, “Performance Analysis of Transformer Based Models (BERT, ALBERT, and RoBERTa) in Fake News Detection,” Nov. 2023, doi: <https://doi.org/10.1109/icoiact59844.2023.10455849>.
- [20] M. Stankevich, I. V. Smirnov, Nikolay Ignatiev, O. Grigoryev, and N. Kiselnikova, “Analysis of Big Five Personality Traits by Processing of Social Media Users Activity Features.,” *DAMDID/RCDL*, pp. 162–166, Jan. 2018.
- [21] W. Husain *et al.*, “Reliability generalization meta-analysis of the internal consistency of the Big Five Inventory (BFI) by comparing BFI (44 items) and BFI-2 (60 items) versions controlling for age, sex, language factors,” *BMC Psychology*, vol. 13, no. 1, Jan. 2025, doi: <https://doi.org/10.1186/s40359-024-02271-x>.
- [22] K. Md. Hasib et al., “A Survey of Methods for Managing the Classification and Solution of Data Imbalance Problem,” *Journal of Computer Science*, vol. 16, no. 11, pp. 1546–1557, Nov. 2020, doi: <https://doi.org/10.3844/jcssp.2020.1546.1557>.