

## DAFTAR PUSTAKA

- [1] “International Coffee Organization Coffee Market Report,” London, Apr 2023. Diakses: 9 September 2024. [Daring]. Tersedia pada: <https://ico.org/specialized-reports/>
- [2] C. H. Hsia, Y. H. Lee, dan C. F. Lai, “An Explainable and Lightweight Deep Convolutional Neural Network for Quality Detection of Green Coffee Beans,” *Applied Sciences (Switzerland)*, vol. 12, Okt 2022, doi: 10.3390/app122110966.
- [3] F. Wurjaningrum dan C. A. A. Shafak, “How Does the Value Stream Mapping Method Identify Waste and Improve the Coffee Bean Production Process of a Café?,” *Jurnal Manajemen Teori dan Terapan | Journal of Theory and Applied Management*, vol. 15, no. 3, hlm. 361–375, Des 2022, doi: 10.20473/jmtt.v15i3.40440.
- [4] Spe, *The Washed Arabica Green Coffee Defect Guide: SCA Handbook*, No. 3. Specialty Coffee Association, 2017, 2017. Diakses: 9 September 2024. [Daring]. Tersedia pada: [sca.coffee](https://sca.coffee)
- [5] T. Geremew Biru dan D. A. Tassew, “Association of Coffee Bean Defects with Ochratoxin A Contamination in the Samples Originated from Jima Woreda of Oromia Regional State, Ethiopia,” *Ethiopian Journal of Science and Sustainable Development*, vol. 6, no. 1, hlm. 2019, 2019, [Daring]. Tersedia pada: [www.ejssd.astu.edu.et](http://www.ejssd.astu.edu.et)
- [6] A. E. el Khoury dan A. Atoui, “Ochratoxin a: General overview and actual molecular status,” *Toxins (Basel)*, vol. 2, no. 4, hlm. 461–493, Apr 2010, doi: 10.3390/toxins2040461.
- [7] D. Lilia, N. Damiri, M. Zulkarnain, dan Mulawarman, “Short communication: Drying methods and diversity of contaminant fungi on coffee beans in South Ogan Komering Ulu District, South Sumatra, Indonesia,” *Biodiversitas*, vol. 22, no. 2, hlm. 1037–1042, Feb 2021, doi: 10.13057/biodiv/d220260.
- [8] C. López-Rodríguez, C. Verheecke-Vaessen, C. Strub, A. Fontana, S. Schorr-Galindo, dan A. Medina, “Reduction in Ochratoxin A Occurrence in Coffee: From Good Practices to Biocontrol Agents,” *Journal of Fungi*, vol. 10, no. 8, Agu 2024, doi: 10.3390/jof10080590.
- [9] BPOM, “Peraturan Badan Pengawas Obat Dan Makanan Nomor 8 Tahun 2018 Tentang Batas Maksimum Cemaran Kimia Dalam Pangan Olahan,” 2018.
- [10] R. P. MZ, H. D. Kusumaningrum, dan R. D. Haryadi, “Prevalensi Kapang Okratoksigenik dan Kandungan Okratoksin A pada Kopi

- Selang Semende,” *agriTECH*, vol. 40, no. 2, hlm. 110, Agu 2020, doi: 10.22146/agritech.39542.
- [11] P. Pokrzywa, M. Surma, dan S. Szarek, “Coffee and wine with ochratoxin A –exposure risk assessment resulting from its consumption,” *Medycyna Ogólna i Nauki o Zdrowiu*, vol. 28, no. 2, hlm. 190–195, Jun 2022, doi: 10.26444/monz/149191.
  - [12] A. Arimah, R. Dewanti-Hariyadi, dan L. Nuraida, “Estimasi Risiko Okratoksin A dari Konsumsi Kopi Bubuk di Indonesia,” *Jurnal Teknologi dan Industri Pangan*, vol. 33, no. 2, hlm. 100–110, Des 2022, doi: 10.6066/jtip.2022.33.2.100.
  - [13] A. L. Leitão, “Occurrence of ochratoxin a in coffee: Threads and solutions—A mini-review,” *Beverages*, vol. 5, no. 2, Jun 2019, doi: 10.3390/beverages5020036.
  - [14] D. Schrenk dkk., “Risk assessment of ochratoxin A in food,” *EFSA Journal*, vol. 18, no. 5, Mei 2020, doi: 10.2903/j.efsa.2020.6113.
  - [15] Y. C. Chou dkk., “Deep-learning-based defective bean inspection with GAN-structured automated labeled data augmentation in coffee industry,” *Applied Sciences (Switzerland)*, vol. 9, no. 19, Okt 2019, doi: 10.3390/app9194166.
  - [16] N. F. Huang dkk., “Smart agriculture: real-time classification of green coffee beans by using a convolutional neural network,” *IET Smart Cities*, vol. 2, no. 4, hlm. 167–172, Des 2020, doi: 10.1049/iet-smc.2020.0068.
  - [17] R. G. Pereira Neto, P. M. de Sousa, L. F. R. Moreira, P. I. V. G. God, dan J. F. Mari, “Enhancing green coffee quality assessment through deep learning,” *Sociedade Brasileira de Computacao - SB*, Mar 2024, hlm. 84–89. doi: 10.5753/wvc.2023.27537.
  - [18] N. Carion, F. Massa, G. Synnaeve, N. Usunier, A. Kirillov, dan S. Zagoruyko, “End-to-End Object Detection with Transformers,” Mei 2020, [Daring]. Tersedia pada: <http://arxiv.org/abs/2005.12872>
  - [19] C. Pinto, J. Furukawa, H. Fukai, dan S. Tamura, “Classification of Green Coffee Bean Images Based on Defect Types Using Convolutional Neural Network (CNN).”
  - [20] K. Pakshir, A. Dehghani, H. Nouraei, Z. Zareshahrabadi, dan K. Zomorodian, “Evaluation of fungal contamination and ochratoxin A detection in different types of coffee by HPLC-based method,” *J Clin Lab Anal*, vol. 35, no. 11, Nov 2021, doi: 10.1002/jcla.24001.
  - [21] G. Guo dan Z. Zhang, “Road damage detection algorithm for improved YOLOv5,” *Sci Rep*, vol. 12, no. 1, Des 2022, doi: 10.1038/s41598-022-19674-8.

- [22] D. Buonocore, M. Carratù, dan M. Lamberti, “Measurement for Diagnostics, Optimisation and Control to Support Sustainability and Resilience.”
- [23] H. L. Gope, H. Fukai, F. M. Ruhad, dan S. Barman, “Comparative analysis of YOLO models for green coffee bean detection and defect classification,” *Sci Rep*, vol. 14, no. 1, Des 2024, doi: 10.1038/s41598-024-78598-7.
- [24] BSN, “Standar Nasional Indonesia,” 2008.
- [25] L. Liu, Q. Li, X. Liao, dan W. Wu, “Bird Droppings Defects Detection in Photovoltaic Modules Based on CA-YOLOv5,” *Processes*, vol. 12, no. 6, Jun 2024, doi: 10.3390/pr12061248.
- [26] M. Sportelli *dkk.*, “Evaluation of YOLO Object Detectors for Weed Detection in Different Turfgrass Scenarios,” *Applied Sciences (Switzerland)*, vol. 13, no. 14, Jul 2023, doi: 10.3390/app13148502.
- [27] B. Jiang, H. Jiang, H. Zhang, Q. Zhang, Z. Li, dan L. Huang, “4AC-YOLOv5: an improved algorithm for small target face detection,” *EURASIP J Image Video Process*, vol. 2024, no. 1, Des 2024, doi: 10.1186/s13640-024-00625-4.