

## DAFTAR PUSTAKA

- [1] M. K. Nurwijaya, “Analisis Gangguan Dan Identifikasi Kabel Fiber Optic Menggunakan Otdr Di Otb Cirebon-Brebes R4,” *J. Inform. dan Tek. Elektro Terap.*, vol. 12, no. 2, 2024.
- [2] R. R. S. R. R. Srimurni, S. N. S. Nur, I. S. N. I. S. Nugroho, R. Rantiyo, M. L. G. M. L. Gozali, and M. R. M. Rafi, “ANALISIS JARINGAN AKSES OPTIK UNTUK MENINGKATKAN KUALITAS LAYANAN BTS TELKOMSEL DI PT TELKOM WITEL BANDUNG,” *Teknol. Nusant.*, vol. 6, no. 1, pp. 1–11, 2024.
- [3] E. A. Yakin, “Prediksi omset bisnis restoran Soto-Kwali Pak Wasis menggunakan metode Random Forest dan Logistic Regression,” Universitas Islam Negeri Maulana Malik Ibrahim, 2023.
- [4] T. Kullolli, B. Trebicka, and S. Fortuzi, “Understanding customer satisfaction factors: A logistic regression analysis,” *J. Bus. Res.*, vol. 12, no. 2, pp. 218–231, 2024.
- [5] H. H. Nuha and A. A. Wardana, “Estimasi Utilisasi Prosesor pada Jaringan Interkoneksi Optik menggunakan Regresi Gaussian,” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 10, no. 3, p. 702, 2022.
- [6] B. Wicaksono and A. Fajri, “Analisis Gangguan Akses FTTH Layanan Internet PT. Circlecom Nusantara Indonesia Wilayah Pantai Indah Kapuk,” *J. Tek. Inform.*, vol. 10, no. 1, 2024.
- [7] W. A. Fadila, Q. Aini, and F. A. Wahyudi, “Perkembangan teknologi pemanfaatan fiber optik dalam industri telekomunikasi untuk koneksi

- jaringan,” *Opt. J. Pendidik. Fis.*, vol. 8, no. 2, pp. 309–320, 2024.
- [8] N. Sulistianingsih and I. N. Switrayana, “Enhancing Sentiment Analysis for the 2024 Indonesia Election Using SMOTE-Tomek Links and Binary Logistic Regression,” *Int. J. Educ. Manag. Eng.*, vol. 14, no. 3, p. 22, 2024.
- [9] C. K. Wang, B. J. Xiang, S. Y. Zheng, K. W. Leung, W. S. Chan, and Y. A. Liu, “A wireless power transmitter with uniform power transfer coverage,” *IEEE Trans. Ind. Electron.*, vol. 68, no. 11, pp. 10709–10717, 2020.
- [10] H. Rahmani and A. Babakhani, “A 1.6 mm<sup>3</sup> wirelessly powered reconfigurable FDD radio with on-chip antennas achieving 4.7 pJ/b TX and 1 pJ/b RX energy efficiencies for medical implants,” in *2020 IEEE Custom Integrated Circuits Conference (CICC)*, IEEE, 2020, pp. 1–4.
- [11] N. Ikhwan, H. Rubiani, N. B. T. A. Ghofur, and Y. Zhu, “Fiber to the home (FTTH) network design using gigabit Passive Optical network (GPON) technology using link power budget and rise time budget analysis in cibeber village tasikmalaya,” *Int. J. Quant. Res. Model.*, vol. 4, no. 1, pp. 30–36, 2023.
- [12] R. P. Prakoso, E. Wahyudi, and K. Masykuroh, “Optimalisasi Bit Error Rate (BER) Jaringan Optik Hybrid Pada Sistem DWDM Berbasis Soliton,” *J. Telecommun. Electron. Control Eng.*, vol. 3, no. 2, pp. 62–70, 2021.
- [13] R. Ayassi, A. Triki, N. Crespi, R. Minerva, and M. Laye, “Survey on the use of machine learning for quality of transmission estimation in optical transport networks,” *J. Light. Technol.*, vol. 40, no. 17, pp. 5803–5815, 2022.
- [14] P. Singh, K. Yadav, H. B. Mishra, and R. Budhiraja, “BER analysis for OTFS

- zero forcing receiver,” *IEEE Trans. Commun.*, vol. 70, no. 4, pp. 2281–2297, 2022.
- [15] F. Cogen, E. Aydin, N. Kabaoglu, E. Basar, and H. Ilhan, “Generalized code index modulation and spatial modulation for high rate and energy-efficient MIMO systems on Rayleigh block-fading channel,” *IEEE Syst. J.*, vol. 15, no. 1, pp. 538–545, 2020.
- [16] C. Castro, R. Elschner, T. Merkle, C. Schubert, and R. Freund, “Long-range high-speed THz-wireless transmission in the 300 GHz band,” in *2020 Third International Workshop on Mobile Terahertz Systems (IWMTS)*, IEEE, 2020, pp. 1–4.
- [17] A. Czerwinski and J. Szlachetka, “Efficiency of photonic state tomography affected by fiber attenuation,” *Phys. Rev. A*, vol. 105, no. 6, p. 62437, 2022.
- [18] A. Y. Igumenov, S. N. Lukinykh, O. E. Nanii, and V. N. Treshchikov, “All-Optical Gain Clamping of a Fiber Amplifier with Remote Optical Pumping,” *Bull. Lebedev Phys. Inst.*, vol. 50, no. Suppl 10, pp. S1120–S1127, 2023.
- [19] Y. Zhang, N. Cui, J. Zhao, L. Xi, and X. Zhang, “Assessing the Impacts of All-Order PMD on Fiber Communication Systems via a Unified Metric Scheme,” *J. Light. Technol.*, 2024.
- [20] G. M. Rego, “Temperature dependence of the thermo-optic coefficient of GeO<sub>2</sub>-doped silica glass fiber,” *Sensors*, vol. 24, no. 15, p. 4857, 2024.
- [21] X. Lu, K. Hicke, M. Breithaupt, and C. Strangfeld, “Distributed humidity sensing in concrete based on polymer optical fiber,” *Polymers (Basel).*, vol. 13, no. 21, p. 3755, 2021.

- [22] Y. Xie, Z. Yang, M. Shi, W. Hu, and L. Yi, “Signal-to-noise ratio degradation analysis for optoelectronic feedback-based chaotic optical communication systems,” *Opt. Lett.*, vol. 48, no. 19, pp. 5005–5008, 2023.
- [23] A. Breno, D. S. Pereira, B. Isaias, L. Fuly, J. Carlos, and G. Rodrigues, “OPENACCESS ANALYSIS OF INSERTION AND RETURN LOSS MEASUREMENTS IN MECHANICAL FIBER OPTIC CONNECTORS,” *Int. J. Dev. Res.*, vol. 13, pp. 61333–61337, 2023.
- [24] S. Maruf, I. Zukerman, X. Situ, C. Paris, and G. Haffari, “Generating simple, conservative and unifying explanations for logistic regression models,” in *Proceedings of the 17th International Natural Language Generation Conference*, 2024, pp. 103–120.
- [25] P. P. Allorerung, A. Erna, M. Bagussahrir, and S. Alam, “Analisis Performa Normalisasi Data untuk Klasifikasi K-Nearest Neighbor pada Dataset Penyakit,” *JISKA (Jurnal Inform. Sunan Kalijaga)*, vol. 9, no. 3, pp. 178–191, 2024.
- [26] V. Çetin and O. Yıldız, “A comprehensive review on data preprocessing techniques in data analysis,” *Pamukkale Üniversitesi Mühendislik Bilim. Derg.*, vol. 28, no. 2, pp. 299–312, 2022.
- [27] D. Singh and B. Singh, “Investigating the impact of data normalization on classification performance,” *Appl. Soft Comput.*, vol. 97, p. 105524, 2020.
- [28] M. S. Kurniawan, I. G. A. S. Putra, I. M. A. Maheswara, R. Y. M. N. Labamaking, I. M. E. Listartha, and G. A. J. Saskara, “Analisis Efektivitas Dan Efisiensi Metode Encoding Dan Decoding Algoritma Base64,” *J.*

*Inform. Dan Teknologi Komput.*, vol. 3, no. 1, pp. 24–34, 2023.