

DAFTAR PUSTAKA

- [1] N. Singh, M. Saini, N. Kumar, M. V. P. Srivastava, and A. Mehndiratta, "Evidence of neuroplasticity with robotic hand eksoskeleton for post-stroke rehabilitation: a randomized controlled trial," *Journal of NeuroEngineering and Rehabilitation*, vol. 18, no. 1, May 2021, doi: <https://doi.org/10.1186/s12984-021-00867-7>.
- [2] F. S. de, Luiz R.R. Carneiro, Davi, A. B. Soares, and R. de, "CULEX: a Cable-driven Upper Limb Eksoskeleton for rehabilitation," *CULEX: a Cable-driven Upper Limb Eksoskeleton for Rehabilitation*, Dec. 2021, doi: <https://doi.org/10.47573/xiiiseb.59>.
- [3] R. da S. Aramaki, "Análise da recuperação funcional no acidente vascular encefálico isquêmico após 30 dias de reabilitação em unidade pública de saúde," *Análise Da Recuperação Funcional No Acidente Vascular Encefálico Isquêmico Após 30 Dias De Reabilitação Em Unidade Pública De Saúde*, 2019, doi: <https://doi.org/10.14393/ufu.di.2019.978>.
- [4] E. Trigili et al., "Detection of movement onset using EMG signals for upper-limb eksoskeletons in reaching tasks," *Journal of NeuroEngineering and Rehabilitation*, vol. 16, no. 1, Mar. 2019, doi: <https://doi.org/10.1186/s12984-019-0512-1>.
- [5] J. Howe et al., "The efficacy of a task model approach to ADL rehabilitation in stroke apraxia and action disorganisation syndrome: A randomised controlled trial," *PLOS ONE*, vol. 17, no. 3, p. e0264678, Mar. 2022, doi: <https://doi.org/10.1371/journal.pone.0264678>.
- [6] H. Nguyen, K. Lebel, S. Bogard, E. Goubault, P. Boissy, and C. Duval, "Using Inertial Sensors to Automatically Detect and Segment Activities of Daily Living in People with Parkinson's Disease," *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 26, no. 1, pp. 197–204, Jan. 2018, doi: <https://doi.org/10.1109/tnsre.2017.2745418>.
- [7] M. R. Jena and K. B. Mohanty, "Design and Development of a simplified SVPWM based Vector Controller for IPMSM with MTPA Strategy," *2020 3rd International Conference on Energy, Power and Environment: Towards Clean Energy*

- Technologies, pp. 1–6, Mar. 2021, doi: <https://doi.org/10.1109/icepe50861.2021.9404458>.
- [8] D. Krisnawati and L. Anggiat, "Terapi Latihan Pada Kondisi Stroke: Kajian Literatur" *Jurnal Fisioterapi Terapan Indonesia*, vol. 1, no. 1, pp. 1-10, 2021.
- [9] S. Brunnstrom, *Movement Therapy in Hemiplegia*. Facts and Comparisons, 1970.
- [10] P. Pigeon, L. Yahia, and A. G. Feldman, "Moment arms and lengths of human upper limb muscles as functions of *joint angles*," *Journal of Biomechanics*, vol. 29, no. 10, pp. 1365–1370, Oct. 1996, doi: [https://doi.org/10.1016/0021-9290\(96\)00031-0](https://doi.org/10.1016/0021-9290(96)00031-0).
- [11] A. V. Zakharov et al., "Stroke affected lower limbs rehabilitation combining virtual reality with tactile feedback," *Frontiers in Robotics and AI*, vol. 7, Jul. 2020. doi: [doi:10.3389/frobt.2020.00081](https://doi.org/10.3389/frobt.2020.00081).
- [12] S. Fox, O. Aranko, J. Heilala, and P. Vahala, "Eksoskeletons," *Journal of Manufacturing Technology Management*, vol. 31, no. 6, pp. 1261–1280, Jun. 2019. doi: [10.1108/jmtm-01-2019-0023](https://doi.org/10.1108/jmtm-01-2019-0023).
- [13] V. M. Zadorozhnii, "Using Arduino to develop research competencies of students in school physics education," *CTE Workshop Proceedings*, vol. 11, pp. 427–441, Mar. 2024. doi: [10.55056/cte.663](https://doi.org/10.55056/cte.663).
- [14] Alrabghi, L., Alnemari, R., et al. "Stroke types and management. "*International Journal Of Community Medicine And Public Health* ", 5(9), pp 3715–3719, 2018. doi: <https://doi.org/10.18203/2394-6040.ijcmph20183439>
- [15] Alsubiheen, A.M.; Choi, W.; Yu, W.; Lee, H. The Effect of Task-Oriented Activities Training on Upper-Limb Function, Daily Activities, and Quality of Life in Chronic Stroke Patients: A Randomized Controlled Trial. *Int. J. Environ. Res. Public Health* 2022, 19, 14125. <https://doi.org/10.3390/ijerph192114125>.
- [16] Selamat SNS, Che Me R, Ahmad Ainuddin H, Salim MSF, Ramli HR and Romli MH (2022) The Application of Technological Intervention for Stroke Rehabilitation in Southeast Asia: A Scoping Review With Stakeholders' Consultation. *Front. Public Health* 9:783565. doi: [10.3389/fpubh.2021.783565](https://doi.org/10.3389/fpubh.2021.783565).
- [17] Le Qi, Dapeng Yang, Baoshi Cao, Zhiqi Li, Hong Liu, Design principle and numerical analysis for *cycloidal drive* considering clearance, deformation, and friction,

Alexandria Engineering Journal, Volume 91, 2024, Pages 403-418, ISSN 1110-0168, <https://doi.org/10.1016/j.aej.2024.01.077>.

- [18] Zhong, T.; Li, D.; Wang, J.; Xu, J.; An, Z.; Zhu, Y. Fusion Learning for sEMG Recognition of Multiple Upper-Limb Rehabilitation Movements. *Sensors* 2021, 21, 5385. <https://doi.org/10.3390/s21165385>.
- [19] Kheder A, Nair KP. Spasticity: pathophysiology, evaluation and management. *Pract Neurol.* 2012 Oct;12(5):289-98. doi: 10.1136/practneurol-2011-000155. PMID: 22976059.
- [20] Y. Chandra Wibowo and S. Riyadi, "Analisa Pembebanan Pada motor brushless DC (BLDC)" *Seminar Nasional Kontrol, Instrumentasi dan Otomasi (SNIKO) 2018*, 2019. doi:10.5614/sniko.2018.33.
- [21] T. Chen, R. Casas and P. S. Lum, "*An Elbow Eksoskeleton for Upper Limb Rehabilitation With Series Elastic Actuator and Cable-Driven Differential*," *IEEE Transactions on Robotics*, vol. 35, no. 6, pp. 1464-1474, Dec. 2019, doi: 10.1109/TRO.2019.2930915.
- [22] AMS AG, "AS5600: 12-bit Programmable Contactless Potentiometer Datasheet," 2020. [Online]. Available: <https://www.ams.com>. [Accessed: Dec. 10, 2024].
- [23] Allegro MicroSystems, Inc., "ACS724: Fully Integrated Hall Effect-Based Linear Current Sensor with 2.1 kVRMS Voltage Isolation and Low-Resistance Conductor Datasheet," 2006. [Online]. Available: <https://www.allegromicro.com>. [Accessed: Dec. 10, 2024].
- [24] Espressif Systems, ESP32-WROOM-32 Datasheet, Version 2.8. Espressif Systems, 2019. [Online]. Available: http://espressif.com/sites/default/files/documentation/esp32_datasheet_en.pdf