

DAFTAR PUSTAKA

- [1] Rudi, A., & Setyanto, R. B. (2019). Analisis faktor yang mempengaruhi risiko jatuh pada lansia. *Jurnal Ilmiah Ilmu Kesehatan: Wawasan Kesehatan*, 5(2), 162-166.
- [2] Yoshida-Intern, S. (2007). A global report on falls prevention epidemiology of falls. *Geneva: WHO*.
- [3] Allen, Natalie E., Allison K. Schwarzel, and Colleen G. Canning. "Recurrent falls in Parkinson's disease: a systematic review." *Parkinson's disease* 2013.1 (2013): 906274.
- [4] Sharif, S. I., Al-Harbi, A. B., Al-Shihabi, A. M., Al-Daour, D. S., & Sharif, R. S. (2018). Falls in the elderly: assessment of prevalence and risk factors. *Pharmacy Practice (Granada)*, 16(3).
- [5] Cuevas-Trisan, R. (2017). Balance problems and fall risks in the elderly. *Physical Medicine and Rehabilitation Clinics*, 28(4), 727-737.
- [6] Zhang et al., "MediaPipe Hands: On-Device Real-Time Hand Tracking," ArXiv, vol. abs/2006.10214, 2020.
- [7] Jakkula, V. (2006). Tutorial on support vector machine (svm). *School of EECS, Washington State University*, 37(2.5), 3.
- [8] M. Hofmann and D. M. Gavrila, “Multiview 3D human pose estimation in complex environment,” Int J Comput Vis, vol. 96, no. 1, pp. 103–124, Jan. 2012, doi: 10.1007/s11263-011-0451-1.
- [9] Toshev, A., & Szegedy, C. (2014). Deeppose: Human pose estimation via deep neural networks. In Proceedings of the IEEE conference on computer vision and pattern recognition (pp. 1653-1660).
- [10] Zhang, F., Zhu, X. and Ye, M., 2019. Fast human pose estimation. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition* (pp.3517-3526).

- [11] Soekarno, I., Hadihardaja, I. K., & Cahyono, M. (2014, August). A study of hold-out and k-fold cross validation for accuracy of groundwater modeling in tidal lowland reclamation using extreme learning machine. In *2014 2nd International Conference on Technology, Informatics, Management, Engineering & Environment* (pp. 228-233). IEEE.
- [12] Jung, Y. (2018). Multiple predicting K-fold cross-validation for model selection. *Journal of nonparametric statistics*, 30(1), 197-215.
- [13] Fang, H. S., Li, J., Tang, H., Xu, C., Zhu, H., Xiu, Y., ... & Lu, C. (2022). Alphapose: Whole-body regional multi-person pose estimation and tracking in real-time. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 45(6), 7157-7173.
- [14] Munea, T. L., Jembre, Y. Z., Weldegeebriel, H. T., Chen, L., Huang, C., & Yang, C. (2020). The progress of human pose estimation: A survey and taxonomy of models applied in 2D human pose estimation. *IEEE Access*, 8, 133330-133348
- [15] Dedhia, U., Bhoir, P., Ranka, P., & Kanani, P. (2023, September). Pose Estimation and Virtual Gym Assistant Using MediaPipe and Machine Learning. In *2023 International Conference on Network, Multimedia and Information Technology (NMITCON)* (pp. 1-7). IEEE.
- [16] Bansal, M., Goyal, A., & Choudhary, A. (2022). A comparative analysis of K-nearest neighbor, genetic, support vector machine, decision tree, and long short term memory algorithms in machine learning. *Decision Analytics Journal*, 3, 100071.
- [17] Mutiara, T. A., & Azizah, Q. N. (2022). Klasifikasi Tumor Otak Menggunakan Ekstraksi Fitur HOG dan Support Vector Machine. *Jurnal Infortech*, 4(1), 45-50.
- [18] Marcot, B. G., & Hanea, A. M. (2021). What is an optimal value of k in k-fold cross-validation in discrete Bayesian network analysis?. *Computational Statistics*, 36(3), 2009-2031.
- [19] Lumumba, V. W., Kiprotich, D., Makena, N. G., Kavita, M. D., & Mpaine, M. L. (2024). Comparative Analysis of Cross-Validation Techniques: LOOCV,

- K-Folds Cross-Validation, and Repeated K-Folds Cross-Validation in Machine Learning Models. *Am. J. Theor. Appl. Stat.*, 13, 127-137.
- [20] Boateng, E. Y., Otoo, J., & Abaye, D. A. (2020). Basic tenets of classification algorithms K-nearest-neighbor, support vector machine, random forest and neural network: A review. *Journal of Data Analysis and Information Processing*, 8(4), 341-357.
- [21] Ang, G. C., Low, S. L., & How, C. H. (2020). Approach to falls among the elderly in the community. *Singapore medical journal*, 61(3), 116.
- [22] Vaishya, R., & Vaish, A. (2020). Falls in older adults are serious. *Indian journal of orthopaedics*, 54, 69-74.
- [23] Wang, X., Ellul, J., & Azzopardi, G. (2020). Elderly fall detection systems: A literature survey. *Frontiers in Robotics and AI*, 7, 71.
- [24] Blanco, V., Japón, A., & Puerto, J. (2020). Optimal arrangements of hyperplanes for SVM-based multiclass classification. *Advances in Data Analysis and Classification*, 14(1), 175-199.
- [25] Kulkarni, S., Deshmukh, S., Fernandes, F., Patil, A., & Jabade, V. (2023). Poseanalyser: A survey on human pose estimation. *SN Computer Science*, 4(2), 136.
- [26] Zheng, C., Wu, W., Chen, C., Yang, T., Zhu, S., Shen, J., ... & Shah, M. (2023). Deep learning-based human pose estimation: A survey. *ACM Computing Surveys*, 56(1), 1-37.
- [27] Munea, T. L., Jembre, Y. Z., Weldegeebriel, H. T., Chen, L., Huang, C., & Yang, C. (2020). The progress of human pose estimation: A survey and taxonomy of models applied in 2D human pose estimation. *IEEE Access*, 8, 133330-133348.
- [28] Jun, Z. (2021). The development and application of support vector machine. In *Journal of Physics: Conference Series* (Vol. 1748, No. 5, p. 052006). IOP Publishing.
- [29] Liu, W., Bao, Q., Sun, Y., & Mei, T. (2022). Recent advances of monocular 2d and 3d human pose estimation: A deep learning perspective. *ACM Computing Surveys*, 55(4), 1-41.

- [30] Cunningham, P., & Delany, S. J. (2021). K-nearest neighbour classifiers-a tutorial. *ACM computing surveys (CSUR)*, 54(6), 1-25.