

DAFTAR PUSTAKA

- [1] W. J. Hwang, J. S. Ha, and M. J. Kim, "Research trends on mobile mental health application for general population: A scoping review," Mar. 01, 2021, *MDPI AG*. doi: 10.3390/ijerph18052459.
- [2] C. Oliveira, A. Pereira, P. Vagos, C. Nóbrega, J. Gonçalves, and B. Afonso, "Effectiveness of Mobile App-Based Psychological Interventions for College Students: A Systematic Review of the Literature," May 11, 2021, *Frontiers Media S.A.* doi: 10.3389/fpsyg.2021.647606.
- [3] A. A. D. N. S. Saparamadu et al., "User-centered design process of an mHealth app for health professionals: Case study," *JMIR Mhealth Uhealth*, vol. 9, no. 3, Mar. 2021, doi: 10.2196/18079.
- [4] J. Bautista and S. M. Schueller, "Understanding the Adoption and Use of Digital Mental Health Apps Among College Students: Secondary Analysis of a National Survey," *JMIR Ment Health*, vol. 10, 2023, doi: 10.2196/43942.
- [5] A. Choudhury, A. Kuehn, H. Shamszare, and Y. Shahsavar, "Analysis of Mobile App-Based Mental Health Solutions for College Students: A Rapid Review," Jan. 01, 2023, *MDPI*. doi: 10.3390/healthcare11020272.
- [6] S. Kaiser, M. Rye, R. Jakobsen, M. Martinussen, H. Høgstad, and H. Kyrrestad, "A Universal Mental Health–Promoting Mobile App for Adolescents: Protocol for a Cluster Randomized Controlled Trial," *JMIR Res Protoc*, vol. 12, 2023, doi: 10.2196/42119.
- [7] A. Polhemus et al., "Health Tracking via Mobile Apps for Depression Selfmanagement: Qualitative Content Analysis of User Reviews," *JMIR Hum Factors*, vol. 9, no. 4, Oct. 2022, doi: 10.2196/40133.
- [8] J. Park, J. Lee, and D. Noh, "Mobile App for Improving the Mental Health of Youth in Out-of-Home Care: Development Study Using an Intervention Mapping Approach," *JMIR Hum Factors*, vol. 11, p. e64681, Nov. 2024, doi: 10.2196/64681.
- [9] A. Giovanelli et al., "The Appa Health App for Youth Mental Health: Development and Usability Study," *JMIR Form Res*, vol. 7, no. 1, Jan. 2023, doi: 10.2196/49998.
- [10] J. Park, J. Lee, and D. Noh, "Mobile App for Improving the Mental Health of Youth in Out-of-Home Care: Development Study Using an Intervention Mapping Approach," *JMIR Hum Factors*, vol. 11, p. e64681, Nov. 2024, doi: 10.2196/64681.
- [11] S. G. Six, K. A. Byrne, H. Aly, and M. W. Harris, "The Effect of Mental Health App Customization on Depressive Symptoms in College Students: Randomized Controlled Trial," *JMIR Ment Health*, vol. 9, no. 8, Aug. 2022, doi: 10.2196/39516.

- [12] S. Burchert, A. Kerber, J. Zimmermann, and C. Knaevelsrud, "Screening accuracy of a 14-day smartphone ambulatory assessment of depression 55 symptoms and mood dynamics in a general population sample: Comparison with the PHQ-9 depression screening," *PLoS One*, vol. 16, no. 1 January, Jan. 2021, doi: 10.1371/journal.pone.0244955.
- [13] M. Shania, P. W. Handayani, and S. Asih, "Designing High-Fidelity Mobile Health for Depression in Indonesian Adolescents Using Design Science Research: Mixed Method Approaches," *JMIR Form Res*, vol. 7, 2023, doi: 10.2196/48913.
- [14] A. M. Metaxa, S. Liverpool, M. Eisenstadt, J. Pollard, and C. Carlsson, "Improving Mental Health and Well-Being Through the Paradym App: Quantitative Study of Real-World Data," *JMIR Form Res*, vol. 9, 2025, doi: 10.2196/68031.
- [15] K. O'Donnell, M. Dunbar, and D. Speelman, "Effectiveness of Daily Mindfulness Meditation App Usage to Reduce Anxiety and Improve WellBeing During the COVID-19 Pandemic: A Randomized Controlled Trial," *Cureus*, Jul. 2023, doi: 10.7759/cureus.42432.
- [16] T. Doğan et al., "Science-Based Mobile Apps for Reducing Anxiety: A Systematic Review and Meta-Analysis," Sep. 01, 2024, John Wiley and Sons Ltd. doi: 10.1002/cpp.3058.
- [17] M. N. Islam, M. M. Karim, T. T. Inan, and A. K. M. N. Islam, "Investigating usability of mobile health applications in Bangladesh," *BMC Med Inform Decis Mak*, vol. 20, no. 1, Feb. 2020, doi: 10.1186/s12911-020-1033-3.
- [18] I. Hensler, J. Sveen, M. Cernvall, and F. K. Arnberg, "Efficacy, Benefits, and Harms of a Self-management App in a Swedish Trauma-Exposed Community Sample (PTSD Coach): Randomized Controlled Trial," *J Med Internet Res*, vol. 24, no. 3, Mar. 2022, doi: 10.2196/31419.
- [19] H. J. Han, S. Mendu, B. K. Jaworski, J. E. Owen, and S. Abdullah, "Preliminary Evaluation of a Conversational Agent to Support Selfmanagement of Individuals Living With Posttraumatic Stress Disorder: Interview Study With Clinical Experts," *JMIR Form Res*, vol. 7, 2023, doi: 10.2196/45894.
- [20] Vijay Bhasker Reddy Bhimanapati, Pandi Kirupa Gopalakrishna Pandian, and Prof.(Dr.) Punit Goel, "UI/UX Design Principles for Mobile Health Applications," *International Journal for Research Publication and Seminar*, vol. 15, no. 3, pp. 216–231, Aug. 2024, doi: 10.36676/jrps.v15.i3.1485.
- [21] S. W. Sien, "Designing for Inclusivity and Accessibility of Mental Health Technologies," in *Conference on Human Factors in Computing Systems - Proceedings*, Association for Computing Machinery, Apr. 2023. doi: 10.1145/3544549.3577038.
- [22] R. Gupta, "COLOR THERAPY IN MENTAL HEALTH AND WELL BEING," 2021.

- [24] M. Hyzy *et al.*, “System Usability Scale Benchmarking for Digital Health Apps: Meta-analysis,” *JMIR Mhealth Uhealth*, vol. 10, no. 8, Aug. 2022, doi: 10.2196/37290.