

DAFTAR PUSTAKA

- [1] Subdirektorat Statistik Lingkungan Hidup, *Statistik Lingkungan Hidup Indonesia 2019-2023 (Dirangkum)*. Badan Pusat Statistik. Diakses: 8 Januari 2025. [Daring]. Tersedia pada: <https://www.bps.go.id/id/publication/2023/11/30/d3456ff24f1d2f2cfd0ccbb0/statistik-lingkungan-hidup-indonesia-2023.html>
- [2] Badan Pusat Statistik (BPS), “Jumlah Curah Hujan pada Tahun 2023 Mencapai 1.562,6 mm/tahun.” Diakses: 23 September 2024. [Daring]. Tersedia pada: <https://lampung.bps.go.id/id/news/2024/03/05/273/jumlah-curah-hujan-pada-tahun-2023-mencapai-1.562-6-mm-tahun.html>
- [3] Badan Meteorologi Klimatologi dan Geofisika (BMKG), “Probabilistik Curah Hujan 20 mm (tiap 24 jam).” Diakses: 23 September 2024. [Daring]. Tersedia pada: <https://www.bmkg.go.id/cuaca/probabilistik-curah-hujan.bmkg>
- [4] Badan Pusat Statistik (BPS), “Kemiringan dan Tekstur Tanah di Kabupaten Gianyar.” Diakses: 23 September 2024. [Daring]. Tersedia pada: <https://ganyarkab.bps.go.id/id/statistics-table/1/OTAjMQ==/kemiringan-dan-tekstur-tanah-di-kabupaten-gianyar.html>
- [5] M. I. Firdaus dan E. Yuliani, “Kesesuaian Lahan Permukiman Terhadap Kawasan Rawan Bencana Longsor,” *Jurnal Kajian Ruang*, vol. 1, no. 2, hlm. 216–237, 2022.
- [6] Badan Pusat Statistik(BPS - Statistics Indonesia), “Jumlah Kejadian Bencana Alam Menurut Provinsi.” Diakses: 8 Januari 2025. [Daring]. Tersedia pada: <https://www.bps.go.id/id/statistics-table/3/TUZaMGVteFVjSEJ4T1RCMIlyRjRTazVvVDJocVFUMDkjMw==/jumlah-kejadian-bencana-alam-menurut-provinsi--2022.html?year=2023>
- [7] A. Rosyida, M. Aziz, Y. Firmansyah, T. Setiawan, K. P. Pangesti, dan F. Kakanur, “Buku Data Bencana Indonesia 2023,” Jakarta, 2024.
- [8] Kementerian Energi dan Sumber Daya Mineral Republik Indonesia (ESDM), “Curah Hujan Tinggi, Masyarakat Diminta Waspada Gerakan Tanah Longsor,” Jakarta, Feb 2018. Diakses: 23 September 2024. [Daring]. Tersedia pada:

<https://www.esdm.go.id/id/media-center/arsip-berita/curah-hujan-tinggi-masyarakat-diminta-waspada-gerakan-tanah-longsor>

- [9] Navrizal. Cika Gema, “Pengembangan Sensor Longsor Berbasis OTDR,” TelkomUniversity, Bandung, 2023.
- [10] A. Adnan, “Raih Kedaireka, Dosen Tel-U Teliti Pemantauan Pergerakan Tanah Lereng di Jalur Kereta Api ,” Telkom University. Diakses: 26 Desember 2024. [Daring]. Tersedia pada: <https://telkomuniversity.ac.id/raih-kedaireka-dosen-tel-u-teliti-pemantauan-pergerakan-tanah-lereng-di-jalur-kereta-api/>
- [11] M. A. Akbar, S. R. Utami, dan C. Agustina, “Simulasi pengukuran longsor pada kemiringan lereng dan ketebalan seresah yang berbeda,” *Jurnal Tanah dan Sumberdaya Lahan*, vol. 9, no. 2, hlm. 321–327, 2022.
- [12] E. Aisah dan N. Gofar, “Studi Pengaruh Curah Hujan Terhadap Stabilitas Lereng Menggunakan Program Perisi,” *Jurnal Rekayasa Sipil*, vol. 18, no. 2, hlm. 133–147, 2022.
- [13] S. Pajalić, J. Peranić, S. Maksimović, N. Čeh, V. Jagodnik, dan Ž. Arbanas, “Monitoring and data analysis in small-scale landslide physical model,” *Applied Sciences*, vol. 11, no. 11, hlm. 5040, 2021.
- [14] A. Donnarumma, P. Revellino, G. Grelle, dan F. M. Guadagno, “Slope angle as indicator parameter of landslide susceptibility in a geologically complex area,” dalam *Landslide Science and Practice: Volume 1: Landslide Inventory and Susceptibility and Hazard Zoning*, Springer, 2013, hlm. 425–433.
- [15] F. C. G. Gonzalez, M. do C. R. Cavacanti, W. N. Ribeiro, M. B. de Mendonça, dan A. N. Haddad, “Corrigendum to ‘A systematic review on landslide triggering thresholds based on rainfall characteristics’[Heliyon Volume 10, Issue 1, January 2024 Article e23247],” *Heliyon*, vol. 11, no. 4, 2025.
- [16] E. do P. Oliveira, A. M. G. Acevedo, V. S. Moreira, V. P. Faro, dan A. C. M. Kormann, “The key parameters involved in a rainfall-triggered landslide,” *Water (Basel)*, vol. 14, no. 21, hlm. 3561, 2022.
- [17] P. Ma dkk., “Dynamic landslide susceptibility mapping over last three decades to uncover variations in landslide causation in subtropical urban mountainous areas,” *Remote Sens Environ*, vol. 326, hlm. 114800, 2025.

- [18] A. P. Paswan dan A. K. Shrivastava, "Evaluation of a tilt-based monitoring system for rainfall-induced landslides: Development and physical modelling," *Water (Basel)*, vol. 15, no. 10, hlm. 1862, 2023.
- [19] R. H. Saleng, A. Arbie, dan D. G. Eka, "Simulasi Model Material Tanah Pada Bidang Gelincir Longsor Dengan Variasi Sudut Kemiringan (Studi Kasus Material Tanah di Daerah Kabupaten Gorontalo Utara)," *Jurnal Teori dan Aplikasi Fisika*, hlm. 29–38, 2024.
- [20] G. Qiao *dkk.*, "Landslide investigation with remote sensing and sensor network: From susceptibility mapping and scaled-down simulation towards in situ sensor network design," *Remote Sens (Basel)*, vol. 5, no. 9, hlm. 4319–4346, 2013.
- [21] D. Hercog, T. Lerher, M. Truntič, dan O. Težak, "Design and Implementation of ESP32-Based IoT Devices," *Sensors*, vol. 23, no. 15, Agu 2023, doi: 10.3390/s23156739.
- [22] M. Babiuch, P. Foltýnek, dan P. Smutný, "Using the ESP32 microcontroller for data processing," dalam *2019 20th International Carpathian Control Conference (ICCC)*, IEEE, 2019, hlm. 1–6.
- [23] D. S. Fedorov, A. Y. Ivoilov, V. A. Zhmud, dan V. G. Trubin, "Using of measuring system MPU6050 for the determination of the angular velocities and linear accelerations," *Automatics & Software Enginery*, vol. 11, no. 1, hlm. 75–80, 2015.
- [24] S. Islami dan M. R. Fauzi, "Modifikasi Dongkrak Ulir Botol Menggunakan Motor Listrik," *Jurnal Surya Teknika*, vol. 9, no. 1, hlm. 365–369, 2022.
- [25] C. R. Widiyanto *dkk.*, "Karakteristik Pengukuran Laju Aliran Berdasarkan Penggunaan Beberapa Jenis Flowmeter Pada Uji Kalibrator Aliran," *Prosiding SNTTM XXI*, vol. 21, hlm. 364–371, Okt 2023.
- [26] A. Zeghloul, A. Azzi, dan N. Ghendour, "Design and construction of a turbine flowmeter based on the Hall effect to measure volumetric air flow rate," Jan 2022.
- [27] M. Farhan, N. Rahmah, dan A. Hafid, "SIMULASI PENGONTROLAN DAN PENGUKURAN JUMLAH DEBIT AIR BERBASIS PROGRAMMABLE LOGIC CONTROLLER," *Kohesi: Jurnal Sains dan Teknologi*, vol. 1, no. 3, hlm. 60–70, 2023.

- [28] S. Ardhi, T. P. Gunawan, S. Tjandra, dan G. L. Dewi, “Penerapan Metode Regresi Linear dalam Pengembangan Pengukuran Aliran Air pada Sensor YF-S201,” *Jurnal Teknik Industri*, vol. 26, no. 01, hlm. 10–21, 2023.
- [29] M. Ariansyah dan S. Sariman, “Analisa Performa Pompa Air DC 12V 42 Watt terhadap Variasi Kedalaman Pipa Menggunakan Baterai dengan Sumber Energi dari Matahari,” *Jurnal Health Sains*, vol. 2, hlm. 1083–1102, Jun 2021, doi: 10.46799/jsa.v2i6.251.
- [30] Z. Iqtimal, I. D. Sara, dan S. Syahrizal, “Aplikasi sistem tenaga surya sebagai sumber tenaga listrik pompa air,” *Jurnal Komputer, Informasi Teknologi, dan Elektro*, vol. 3, no. 1, 2018.
- [31] D. Irawan, E. Nugroho, dan E. Widiyanto, “Pengaruh jumlah nozzle terhadap kinerja turbin pelton sebagai pembangkit listrik di Desa Sumber Agung Kecamatan Suoh Kabupaten Lampung Barat,” *Turbo: Jurnal Program Studi Teknik Mesin*, vol. 9, no. 2, 2020.
- [32] L. Kirinoikeuchi Co., “Spray Nozzle Technology.” Diakses: 10 Desember 2024. [Daring]. Tersedia pada: <https://www.kirinoikeuchi.co.jp/eng/technology/19/>
- [33] A. Alshahri, *Assessing the applicability of low-cost soil moisture sensors*. 2020.
- [34] A. Lopez Aldaba dkk., “Comparison between Capacitive and Microstructured Optical Fiber Soil Moisture Sensors,” *Applied Sciences*, vol. 8, no. 9, 2018, doi: 10.3390/app8091499.
- [35] A. B. Pulungan dan Z. Nafis, “Rancangan Alat Pendeteksi Benda dengan Berdasarkan Warna, Bentuk, dan Ukuran dengan Webcam,” *JTEIN: Jurnal Teknik Elektro Indonesia*, vol. 2, no. 1, hlm. 49–54, 2021.
- [36] M. R. V. Aditya, N. L. Husni, D. A. Pratama, dan A. S. Handayani, “Penerapan Sistem Pengolahan Citra Digital Pendeteksi Warna pada Starbot,” *Teknika*, vol. 14, no. 2, hlm. 185–191, 2020.
- [37] S. M. Prasetyo, M. I. P. Nugroho, R. L. Putri, dan O. Fauzi, “Pembahasan Mengenai Front-End Web Developer dalam Ruang Lingkup Web Development,” *BULLET: Jurnal Multidisiplin Ilmu*, vol. 1, no. 06, hlm. 1015–1020, 2022.

- [38] A. Shukla, “Modern JavaScript Frameworks and JavaScript’s Future as a Full-Stack Programming Language,” *Journal of Artificial Intelligence & Cloud Computing*, Okt 2023, doi: 10.47363/JAICC/2023(2)144.
- [39] F. Cohen, F. Siddi, M. Hawat, dan T. Roosendaal, “Blender Annual Report-2023,” Jul 2024.
- [40] N. Febyla dan A. Zubaidi, “Analisis dan Perbaikan Tampilan Sistem Informasi Dewan Perwakilan Rakyat Daerah Provinsi Nusa Tenggara Barat Berbasis Website Menggunakan Figma,” *Jurnal Begawe Teknologi Informasi (JBegaTI)*, vol. 3, no. 2, 2022.
- [41] V. Viegas, J. M. D. Pereira, P. Girão, dan O. Postolache, “Study of latencies in ThingSpeak,” *Advances in Science, Technology and Engineering Systems*, vol. 6, no. 1, hlm. 342–348, 2021, doi: 10.25046/aj060139.
- [42] M. Kashyap, V. Sharma, dan G. Verma, “Implementation and Analysis of IoT Based Automation Using MQTT,” dalam *2021 IEEE 4th International Conference on Computing, Power and Communication Technologies (GUCON)*, 2021, hlm. 1–5. doi: 10.1109/GUCON50781.2021.9573857.
- [43] C. Bouallegue dan J. Gascon-Samson, “EdgePub: A self-adaptable distributed MQTT broker overlay for the far-edge,” dalam *2022 Seventh International Conference on Fog and Mobile Edge Computing (FMEC)*, IEEE, 2022, hlm. 1–8.
- [44] Y. Yuan, J. Yang, R. Shao, J. Mao, dan C. Zhang, “Research on BIM model lightweighting methods and IoT technology application in the context of WebGL,” dalam *Journal of Physics: Conference Series*, IOP Publishing, 2022, hlm. 012008.
- [45] M. P. Toppany, D. Kurnia, dan R. P. H. Adj, “INTEGRASI FRAMEWORK BOOTSTRAP DAN CHART. JS UNTUK VISUALISASI DATA SENSOR PADA SISTEM HIDROPONIK BERBASIS INTERNET OF THINGS (IOT),” *JMeka*, vol. 1, no. 2, hlm. 11–21, 2024.
- [46] Z. Wang, K. Han, dan P. Tiwari, “Digital twin-assisted cooperative driving at non-signalized intersections,” *IEEE Transactions on Intelligent Vehicles*, vol. 7, no. 2, hlm. 198–209, 2021.

- [47] Y. Yin, P. Zheng, C. Li, dan L. Wang, “A State-of-the-art Survey on Augmented Reality-assisted Digital Twin for Futuristic Human-centric Industry Transformation,” *Robot Comput Integr Manuf*, vol. 81, hlm. 1–21, Jun 2023, doi: 10.1016/j.rcim.2022.102515.
- [48] B. Han dan H. D. Schotten, “Multi-sensory HMI for human-centric industrial digital twins: A 6G vision of future industry,” dalam *2022 IEEE Symposium on Computers and Communications (ISCC)*, IEEE, 2022, hlm. 1–7.
- [49] V. R. Segovia, T. Hägglund, dan K. J. Åström, “Measurement noise filtering for common PID tuning rules,” *Control Eng Pract*, vol. 32, hlm. 43–63, 2014.
- [50] A. A. Abdelmoneim, C. M. Al Kalaany, R. Khadra, B. Derardja, dan G. Dragonetti, “Calibration of Low-Cost Capacitive Soil Moisture Sensors for Irrigation Management Applications,” *Sensors*, vol. 25, no. 2, hlm. 343, 2025.