

DAFTAR PUSTAKA

- [1] H. Fadhlurrahman, A. Khoirunnisa, and I. Kurniawan, “QSAR Model for Prediction PTP1B Inhibitor as Anti-diabetes Mellitus using Simulated Annealing-Support Vector Machine,” in 2022 International Conference on Data Science and Its Applications (ICoDSA), Bandung, Indonesia: IEEE, Jul. 2022, pp. 109–113. doi: 10.1109/ICoDSA55874.2022.9862820.
- [2] I. Widyastuti and A. C. Wijayanti, “Hubungan Pengetahuan dan Sikap dengan Kualitas Hidup Penderita Diabetes Melitus Tipe 2 di Surakarta,” JKMI, vol. 16, no. 3, p. 136, Sep. 2021, doi: 10.26714/jkmi.16.3.2021.136-147.
- [3] J. I. Lukito, “Antidiabetik Oral Kombinasi Penghambat DPP-4 dan Penghambat SGLT-2,” vol. 48, no. 12, 2021.
- [4] A. Musoev, S. Numonov, Z. You, and H. Gao, “Discovery of Novel DPP-IV Inhibitors as Potential Candidates for the Treatment of Type 2 Diabetes Mellitus Predicted by 3D QSAR Pharmacophore Models, Molecular Docking and De Novo Evolution,” *Molecules*, vol. 24, no. 16, p. 2870, Aug. 2019, doi: 10.3390/molecules24162870.
- [5] T. Okura et al., “Dipeptidyl peptidase 4 senyawa inhibitor improves insulin resistance in Japanese patients with type 2 diabetes: a single-arm study, a brief report,” *Diabetol Metab Syndr*, vol. 14, no. 1, p. 78, Dec. 2022, doi: 10.1186/s13098-022-00850-9.
- [6] J. Cai et al., “Predicting DPP-IV senyawa inhibitors with machine learning approaches,” *J Comput Aided Mol Des*, vol. 31, no. 4, pp. 393–402, Apr. 2017, doi: 10.1007/s10822-017-0009-6.
- [7] O. Hermansyah, A. Bustamam, and A. Yanuar, “Virtual Screening of DPP-4 Inhibitors Using QSAR- Based Artificial Intelligence and Molecular Docking of Hit Compounds to DPP-8 and DPP-9 Enzymes,” Jun. 03, 2020. doi: 10.21203/rs.2.22282/v2.
- [8] O. Hermansyah, A. Bustamam, and A. Yanuar, “Virtual screening of dipeptidyl peptidase-4 senyawa inhibitors using quantitative structure–activity

relationship-based artificial intelligence and molecular docking of hit compounds,” *Computational Biology and Chemistry*, vol. 95, p. 107597, Dec. 2021, doi:10.1016/j.compbiolchem.2021.107597.

- [9] Reza Rendian Septiawan, Bambang Hadi Prakoso, and Isman Kurniawan, “DPP IV Inhibitors Activities Prediction as An Anti-Diabetic Agent using Particle Swarm Optimization-Support Vector Machine Method,” *J. RESTI (Rekayasa Sist. Teknol. Inf.)*, vol. 6, no. 6, pp. 974–980, Dec. 2022, doi: 10.29207/resti.v6i6.4470.
- [10] F. Tan, “Regression analysis and prediction using LSTM model and machine learning methods,” *J. Phys.: Conf. Ser.*, vol. 1982, no. 1, p. 012013, Jul. 2021, doi: 10.1088/1742-6596/1982/1/012013.
- [11] N. Bacanin, T. Bezdan, E. Tuba, I. Strumberger, and M. Tuba, “Monarch Butterfly Optimization Based Convolutional Neural Network Design,” *Mathematics*, vol. 8, no. 6, p. 936, Jun. 2020, doi: 10.3390/math8060936.
- [12] A. F. Karimah, A. M. Afinda, and I. Kurniawan, “IMPLEMENTATION OF SMILES2VEC BASED LSTM OPTIMIZED BY MONARCH BUTTERFLY OPTIMIZATION ON PREDICTING DRUG SIDE EFFECTS CASE STUDY OF BLOOD AND LYMPHATIC SYSTEM DISORDERS,” *Telkom University*, 2023.
- [13] Y. Yu, X. Si, C. Hu, and J. Zhang, “A Review of Recurrent Neural Networks: LSTM Cells and Network Architectures,” *Neural Computation*, vol. 31, no. 7, pp. 1235–1270, Jul. 2019, doi: 10.1162/neco_a_01199.
- [14] P. K. Dey et al., “Fragment-based QSAR study to explore the structural requirements of DPP-4 senyawa inhibitors: a stepping stone towards better type 2 diabetes mellitus management,” *SAR and QSAR in Environmental Research*, vol. 35, no. 6, pp. 483–504, Jun. 2024, doi: 10.1080/1062936X.2024.2366886.
- [15] C. W. Kencana, E. B. Setiawan, and I. Kurniawan, “Hoax Detection on Twitter using Feed-forward and Back-propagation Neural Networks Method,” *Vol .*, vol. 4, no. 4, 2020.