ABSTRACT

WiMAX (Worldwide Interoperability Microwave Access) is a very promising technology

for the future. This technology has a wide coverage area with a relatively high speed of 75 Mbps

and up to 15 Mbps for mbile WiMAX 802.16e. And the development of telecommunication

technology with high mobility is growing at the moment. Therefore, the IEEE set a new standard

of 802.16e mobile WiMAX to overcome this, but the data speed is not necessarily the same as

the previous products that are WiMAX fixed wireless.

In this final task analysis performed on the packet delivery using mobile WiMAX video

streaming based on quality parameters of WiMAX service is provided UGS (Unsolicited Grant

Service), rtps (Real Time Polling Service), nrtps (Non Real Time Polling Service), and BE (Best

Effort). Research methodology used to collect the literatures of mobile WiMAX, and then design

a network to use, then perform simulation using NS-2 simulator, retrieve data from the

simulation results and the data is processed.

The end result of this final task is to get maximum user, maximum speed of user and

maximum background traffic for access video streaming application in mobile WiMAX 802.16e

network. Maximum user to access video streaming ini mobile WiMAX network at the same time

is about 60 user with speed of user 5 m/s. Maximum speed of 2 user to access video streaming

application is 30 m/s. And maximum background traffic in mobile WiMAX network is 9 Mbps

to access video streaming application.

Keyword: Mobile WiMAX 802.16e, QoS WiMAX, NS-2 Simulator