

THE USAGE OF FAST-ICA ALGORITHM IN VIDEO WATERMARKING

Andy Hakiem Nasution¹, Koredianto Usman², Adiwijaya³

¹Teknik Telekomunikasi, Fakultas Teknik Elektro, Universitas Telkom

Abstrak

The advance of video sharing on the internet has put its copyright at risk. Once uploaded, it is hard to control the distribution and further action to the video including illegal copying and editing. Video watermarking is a way to answer this threat. Watermarking has been developed to protect copyright of digital file including video.

This research embeds image watermark to several frames of video detected as scene change. The combination of Discrete Wavelet Transform and Discrete Cosine Transform which gives better PSNR of watermark file is used. The ll band of watermark is mixed with the hh band of frame using alpha (0.01, 0.03, 0.05, 0.08, 0.1, 0.3, 0.5 and 0.8) as the weight of watermark. The experiment result shows that larger alpha reduces the watermarked video fidelity more. The optimum alpha is 0.1 which still give watermarked video PSNR >30dB. From data payload point of view, the watermarked video has the same file size with the original video.

Fast-ICA algorithm which is famous for the cocktail party problem is used to extract watermark from the video. The extraction process result good extracted video (PSNR >50dB) but low extracted watermark quality (PSNR <2dB) due to the ambiguity of Fast-ICA. However this method is robust to noise because same or better watermark PSNR is resulted even from 5dB SNR attack.

Kata Kunci : Video Watermarking, Discrete Cosine Transform, Discrete Wavelet Transform, Fast-ICA Algorithm

Abstract

The advance of video sharing on the internet has put its copyright at risk. Once uploaded, it is hard to control the distribution and further action to the video including illegal copying and editing. Video watermarking is a way to answer this threat. Watermarking has been developed to protect copyright of digital file including video.

This research embeds image watermark to several frames of video detected as scene change. The combination of Discrete Wavelet Transform and Discrete Cosine Transform which gives better PSNR of watermark file is used. The ll band of watermark is mixed with the hh band of frame using alpha (0.01, 0.03, 0.05, 0.08, 0.1, 0.3, 0.5 and 0.8) as the weight of watermark. The experiment result shows that larger alpha reduces the watermarked video fidelity more. The optimum alpha is 0.1 which still give watermarked video PSNR >30dB. From data payload point of view, the watermarked video has the same file size with the original video.

Fast-ICA algorithm which is famous for the cocktail party problem is used to extract watermark from the video. The extraction process result good extracted video (PSNR >50dB) but low extracted watermark quality (PSNR <2dB) due to the ambiguity of Fast-ICA. However this method is robust to noise because same or better watermark PSNR is resulted even from 5dB SNR attack.

Keywords : Video Watermarking, Discrete Cosine Transform, Discrete Wavelet Transform, Fast-ICA Algorithm

CHAPTER I

INTRODUCTION

1.1 Background

The existence of internet and the rapid development of information and communication technology have increased data exchange between users worldwide where people can easily interact and share their files. However, once a file is published or uploaded to the internet, it is hard to control or to monitor whoever has accessed that file. It can be downloaded, copied, edited and/or re-uploaded with different tag of ownership without the concern of the original owner.

In the case of digital video, file sharing on internet via certain websites like You Tube, Facebook.com and 4shared.com happen almost in every minute. Not long after uploaded, the video will be reposted on other websites. Unfortunately, those websites mostly have not provided any protection to the file. Ownership of that file can easily be claimed. Furthermore, someone who has business interest to that file can download the video, burn them on compact disks and sell them without paying any property to the real owner.

To avoid the illegal action to digital video, a mark of ownership should be planted. It should be able to protect the video from various possible manipulations. However, the main thing is the mark should not decrease the video quality. The video should be visibly smooth like no mark has been added to the video.

Digital watermarking is a method to embed a watermark into digital data. The watermark can be text, binary code, image or video, which works as the copyright label of that file. As part of Steganography, digital watermarking will make the file robust to data manipulation, appear smoothly, and has the same size even after inserted with the mark. To achieve those criteria, various watermarking methods are developed and research on watermarking is still on its way.

Video watermarking means inserting the watermark to video. Seeing every frame as a digital image, methods used in image watermarking are automatically possible for video watermarking. Inserting watermark to video also give different challenges to explore.

In general, there are two types of domain to embed watermark; spatial and transform. In spatial domain, watermark is embedded through manipulating the pixels. In transform domain, the pixels first are grouped based on their frequency level; high, medium, or low, and then further manipulation on those components can be done. Some possible transformations to use are Fourier Transform, Cosine Transform and Wavelet Transform.

Independent Component Analysis is an algorithm which has been used in cocktail party problem. ICA is proven capable of separating the mixed sounds in cocktail party to their independent components. Consider video and watermark as two independent components, a scenario to extract watermark from the video using Fast-ICA algorithm is proposed as a Blind Source Separation method. Blind Source Separation means the extraction only depends on the mixed file without the help of original video or watermark.

1.2 Statements of Problem

This research should consider about:

1. What watermark insertion method which should be formed to produce robust watermarked video without degrading its visual quality
2. What watermark extraction method which should be formed to produce good quality extracted watermark and video after removal

1.3 Goals of Research

Answering the problems, this research is composed with goals to create:

1. A watermark insertion method in effort to produce robust watermarked video with good fidelity and data payload
2. A watermark extraction method in effort to produce good quality extracted watermark and video after removal

1.4 Benefits of Research

From this research, the benefits which are expected from the results are:

1. A watermark insertion method which can produce robust watermarked video with good fidelity
2. A watermark extraction method which can produce good quality extracted watermark and video after removal

1.5 Scope of Research

To be more specific and focus, this research will concentrate in:

1. Using .AVI format video, with 320 x 240 frame size
2. Using .BMP format, RGB image as watermark
3. Disregarding audio part of video
4. Embedding watermark in transform domain by uniting Discrete Wavelet Transform and Discrete Cosine Transform; taking the ll band of watermark to the hh band of frame with weight value of alpha (0.01, 0.03, 0.05, 0.08, 0.1, 0.03, 0.5 and 0.8) on every color layer Red, Green and Blue
5. Extracting watermark based on Independent Component Analysis
6. Evaluating robustness of watermarked video from additive white Gaussian noise attack
7. Measuring fidelity of watermarked video, extracted watermark and extracted video using MSE and PSNR

CHAPTER V

CONCLUSION

5.1 Conclusion

Based on all data produced and the analysis in this research, and focusing on this research goals, several points can be concluded. They are covering watermark embedding method and watermark extraction method used in this research. The conclusions are:

1. Watermark embedding method using combination of Discrete Wavelet Transform and Discrete Cosine Transform is a possible new approach in video watermarking. The method used in this research fulfill three parameters in watermarking; robustness, fidelity and data payload.
2. To build a good watermarked video, alpha value as the weight of watermark should not exceed 0.1. The usage of watermark weight of 0.01 gives the best watermarked video PSNR of 59.3562 dB. Watermark weight of 0.8 results the worst watermarked video PSNR of 22.9904 dB. The optimum weight used in video watermarking is 0.1 with PSNR of 39.6649 dB.
3. Watermark extraction method using Fast-ICA algorithm is successfully separate the watermark from the video. Unfortunately the ambiguity of Fast-ICA is a weakness because the extracted watermark error is high. Consequently, the PSNR are low (<2dB). However the extracted video has high PSNR (>50dB).
4. The watermarking technique is robust to attack because for fatal noise attack of 5 dB, the watermark is successfully extracted with PSNR as good as or even better than the extracted watermark from lower noise attack or without noise. From the extracted video, the maximum noise on the watermarked video is 20 dB so the extracted video still has tolerable quality of PSNR (>20dB).

5.2 Future Research

Future research can develop and continue this research by putting several subjects into the research:

1. Exploring more on Fast-ICA algorithm to be used as watermark insertion method.
2. More complex scenario to embed watermark component to host video, i.e. more complex mixing matrix on certain color layer of certain band frequency.
3. Including audio part of video which also can be the media to embed the watermark.
4. Live video watermarking which needs fast computation but robust to attack.



BIBLIOGRAPHY

- [1] Mohd Shahidan Abdullah, Azizah Abd Manaf, 2007, *An Overview of Video Watermarking Techniques*, Malaysia: University Technology of Malaysia, available at www.pps.fsksm.utm.my/pars2007
- [2] Ersin Elbasil, Ahmet M. Eskicioglu, 2006, *Neural Network Based Transformation Selection in Video Watermarking*, NY: The City University of New York, available at www.scibrooklyn.cuny.edu/~eskicioglu/papers/
- [3] Pik-Wah Chan, Michael R. Lyu, 2003, *A DWT-based Digital Video Watermarking Scheme with Error Correcting Code*, Hong Kong: The Chinese University of Hong Kong, available at www.cse.cuhk.edu.hk/~lyu/paper_pdf
- [4] Gwena.el Do.err, Jean-Luc Dugelay, 2003, *A guide tour of video watermarking*, France: Eurecom Institute, available at www.adastral.ucl.ac.uk/~gwendoer/papers/
- [5] Dima Pröfrock *et al*, *A New Uncompressed-domain Video Watermarking Approach Robust to H.264/AVC Compression*, Germany: University of Rostock, available at www.actapress.com/
- [6] Fabrizio Guerrini *et al*, 2005, *A New Video Authentication Template Based on Bubble Random Sampling*, Italy: SCL - DEA University of Brescia, available at www.eurasip.org/Proceedings/Eusipco/Eusipco2005/
- [7] Xiamu Niu, Shenghe Sun, 2000, *A New Wavelet-Based Digital Watermarking for Video*, P.R China: Harbin Institute of Technology, available at spib.rice.edu/DSP2000/submission/DSP/papers
- [8] Minfen Shen *et al*, 2003, *A Method for Digital Image Watermarking Using ICA*, 4th International Symposium on Independent Component Analysis and Blind Signal Separation, available at www.kecl.ntt.co.jp/icl/signal/ica2003/

- [9] Ju Liu *et al*, 2003, *A Digital Watermarking Scheme Based on ICA Detection*, 4th International Symposium on Independent Component Analysis and Blind Signal Separation, available at <http://scholar.google.co.id/scholar>
- [10] Aapo Hyvärinen, Erkki Oja, 2000, *Independent Component Analysis: Algorithms and Applications*, Finland: Helsinki University of Technology, available at www.cs.helsinki.fi/u/ahyvarin/papers/
- [11] Elsiawaty, 2004, *Partial Watermarking*, Bandung: Institut Teknologi Bandung
- [12] Lieven De Lathauwer *et al*, 2000, *An introduction to independent component analysis*, JOURNAL OF CHEMOMETRICS, available at www.perso-etis.ensea.fr/~lathauwer/
- [13] RODIAH, 2004, *Watermarking Sebagai Teknik Penyembunyian Label Hak Cipta Pada Data Digital Menggunakan Algoritma DCT*, Jakarta: Universitas Gunadarma, available at www.staffsite.gunadarma.ac.id/rodiah/
- [14] Anonymous, *Multimedia: Animation*, Universitas Kristen Duta Wacana, available at www.lecturer.ukdw.ac.id/anton/
- [15] Supangkat, Suhono H *et al*. 2000. *Watermarking sebagai Teknik Penyembunyian Label Hak Cipta pada Data Digital*. Bandung : Institut Teknologi Bandung, available at digitally1.paume.itb.ac.id/MITE/
- [16] I. Wiseto P. Agung, 2001, *Digital Watermarking : Teknologi Pelindung HAKI*
- [17] Sukma, Ega Lestaria, 2009, *Analisa dan Simulasi Video Watermarking dengan Metode Scene-change Detection Berbasis Discrete Wavelet Transform*, Institut Teknologi Telkom, Bandung
- [18] Wirya, Bagus Gde Gosha, 2009, *Watermarking pada Citra Digital Menggunakan Gabungan DWT-DCT*, Institut Teknologi Telkom, Bandung

- [19] Mar, Eriel, 2009, Implementasi dan Analisis Video Watermarking dengan Format Video MPEG Berbasis Wavelet Transform, Institut Teknologi Telkom, Bandung
- [20] Ruswindiarsih, Ika Ayu, 2009, Penerapan Metode ICA untuk Pemisahan Sinyal Suara Jantung dan Paru-paru, Institut Teknologi Telkom, Bandung
- [21] Febriansyah, Agus, 2009, Blind Watermarking pada Citra Digital Metode Scrambling Menggunakan Discrete Cosine Transform 2-D (DCT-2D), Institut Teknologi Telkom, Bandung
- [22] Amalia, Siti Mufieda Achda, 2009, Pemisahan Fetal Elektrokardiogram Menggunakan Independent Component Analysis, Institut Teknologi Telkom, Bandung
- [23] Nugroho, Kanti Maulia, 2010, Identifikasi Telapak Tangan dengan Menggunakan Independent Component Analysis (ICA) dan Support Vector Machine (SVM), Institut Teknologi Telkom, Bandung