

## DAFTAR PUSTAKA

- [1] "Named Data Networking," Encyclopedia of Wireless Networks. pp. 947-947, 2020. doi: 10.1007/978-3-319-78262-1\_300429.
- [2] Q. Y. Zhang, X. W. Wang, M. Huang, K. Q. Li, and S. K. Das, "Software Defined Networking Meets Information Centric Networking: A Survey," IEEE Access, vol. 6, pp. 39547- 39563. 2018. doi: 10.1109/ACCESS.2018.2855135.
- [3] Ahmed, S. H., & Kim, D. (2016). Named data networking-based smart home. *ICT Express*, 2(3), 130–134. doi:10.1016/j.icte.2016.08.007
- [4] Huang, M., Li, R., Fan, J., & Zhang, X. (2018). User-Driven Smart Home Control System Based on Named Data Networking. 2018 Tenth International Conference on Ubiquitous and Future Networks (ICUFN). doi:10.1109/icufn.2018.8436627.
- [5] Hail, M. A. (2019). IoT-NDN: An IoT Architecture via Named Data Networking (NDN). 2019 IEEE International Conference on Industry 4.0, Artificial Intelligence, and Communications Technology (IAICT). doi:10.1109/iciaict.2019.8784859.
- [6] A. Newell, K. Yang, and J. Deng, “Stacked hourglass networks for human pose estimation,” in Proc. Eur. Conf. Comput. Vis., 2016, pp. 483–499.
- [7] M, A. K., Amin, S. O., Alyyan, A., Zhang, B., Zhang, L., & Wang, L. (2013). NLSR: Named-data Link State Routing Protocol. Proceedings of the 3rd ACM SIGCOMM.
- [8] Lehman, V., Gawande, A., Zhang, B., Zhang, L., Aldecoa, R., Krioukov, D., & Wang, L. (2016). An experimental investigation of hyperbolic routing with a smart forwarding plane in NDN. 2016 IEEE/ACM 24th International Symposium on Quality of Service (IWQoS). doi:10.1109/iwqos.2016.7590394
- [9] X. Zhou, M. Zhu, G. Pavlakos, S. Leonardos, K. G. Derpanis, and K. Daniilidis, “MonoCap: Monocular human motion capture using a

- CNNcoupled with a geometric prior,’’ 2017, arXiv:1701.02354. [Online]. Available: <http://arxiv.org/abs/1701.02354>
- [10] S. Albawendi, A. Lotfi, H. M. Powell, and K. Appiah, ‘‘Video based fall detection using features of motion, shape and histogram,’’ presented at the 11th Pervasive Technol. Rel. Assistive Environ. Conf., Corfu, Greece, 2018.
  - [11] A. qutwani Majed, X. Wang, and B. Yi, ‘‘Name lookup in named data networking: A review,’’ Inf., vol. 10, no. 3, 2019, doi: 10.3390/info10030085.
  - [12] L. Zhang et al., ‘‘Named data networking,’’ Comput. Commun. Rev., vol. 44, no. 3, pp. 66–73, 2014, doi: 10.1145/2656877.2656887.
  - [13] V. Jacobson, D.K. Smetters, N.H. Briggs, J.D. Thornton, M.F. Plass, and R.L. Braynard, ‘‘Networking Named Content’’, in The 5th ACM International Conference on emerging Networking Experiments and Technologies, 2009, pp. 1– 12
  - [14] D. Saxena and I.I.T. Roorkee, ‘‘Named Data Networking: A Survey’’, Comput. Sci. Rev., vol. 19, pp. 15–55, 2016.
  - [15] Van, D. D., & Ai, Q. (2018). An efficient in-network caching decision algorithm for Internet of things. International Journal of Communication Systems, 14.
  - [16] Cheng, T., Yang, Y., & Qu, D. (2019). A Forwarding Strategy Based on Recommendation Algorithm in Named Data Networking. 2019 IEEE 21st International Conference on High Performance Computing and Communications; IEEE 17th International Conference on Smart City; IEEE 5th International Conference on Data Science and Systems (HPCC/SmartCity/DSS). doi:10.1109/hpcc/smartcity/dss.2019.00022
  - [17] Ahdan, S., & Raharjo, B. (2018). Overview Keamanan Pada Jaringan NDN (Named Data Networking). Bandung: Bandung Institute of Technology.
  - [18] Munea, T. L., Jembre, Y. Z., Weldegeebriel, H. T., Chen, L., Huang, C., & Yang, C. (2020). The Progress of Human Pose Estimation: A Survey and

Taxonomy of Models Applied in 2D Human Pose Estimation. IEEE Access, 1–1. doi:10.1109/access.2020.3010248

- [19] Wang, Chien-Yao & Bochkovskiy, Alexey & Liao, Hong-yuan. (2022). YOLOv7: Trainable bag-of-freebies sets new state-of-the-art for real-time object detectors. 10.48550/arXiv.2207.02696.